Safety data sheet

according to 1907/2006/EC, Article 31



Printing date 05.06.2019

Revision: 09.04.2019

1 Identification of the substance/mixture and of the company/undertaking

· Product identifier

· Trade name: OpalTM BandTM Cement - Catalyst

• Article number: 71101

• *Index number: SDS 220-001.08*

- **Relevant identified uses of the substance or mixture and uses advised against** Professional Orthodontic Cement • **Application of the substance** / **the mixture** Professional Orthodontic Cement
- · Details of the supplier of the safety data sheet

Manufacturer/Supplier: Ultradent Products Inc. 505 W. Ultradent Drive (10200 S) South Jordan, UT 84095-3942 USA onlineordersupport@utradent.com

EC Responsible Person Ultradent Products GmbH Am Westhover Berg 30 51149 Cologne Germany Email: infoDe@ultradent.com Emergency Phone: +49(0)2203-35-92-0

· Further information obtainable from: Customer Service

• Emergency telephone number: CHEMTREC (NORTH AMERICA) :(800) 424-9300 (INTERNATIONAL) : +(703) 527-3887

2 Hazards identification

Classification of the substance or mixture
Classification according to Regulation (EC) No 1272/2008

GHS07

Acute Tox. 4 H332 Harmful if inhaled. Skin Sens. 1 H317 May cause an allergic skin reaction.

· Label elements

· Labelling according to Regulation (EC) No 1272/2008

The Regulation EC 1272/2008 on classification, labeling and packaging of substances and mixtures (CLP) shall not apply to a cosmetic in the finished state used in direct physical contact with the human body according to Art. 1.5 (c). Therefore, the product is exempted from the CLP labeling requirements, and no SDS is required by Regulation 1907/2006, Art. 2 (6b), REACH. Therefore, all given data, classification, and information on this SDS are provided solely on a voluntary basis.

· Hazard pictograms GHS07

· Signal word Warning

• Hazard-determining components of labelling: Triethylene Glycol Dimethacrylate Diurethane Dimethacrylate Organophosphine Oxide

· Hazard statements

H332 Harmful if inhaled.

Printing date 05.06.2019

Revision: 09.04.2019

Trade name: OpalTM BandTM Cement - Catalyst

(Contd. of page 1) H317 May cause an allergic skin reaction. · Precautionary statements P101 If medical advice is needed, have product container or label at hand. P102 Keep out of reach of children. P103 Read label before use. P261 Avoid breathing dust/fume/gas/mist/vapours/spray. P280 Wear protective gloves. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P311 Call a POISON CENTER/doctor. P333+P313 If skin irritation or rash occurs: Get medical advice/attention. Dispose of contents/container in accordance with local/regional/national/international regulations. P501 • Other hazards · Results of PBT and vPvB assessment · **PBT:** Not applicable. · vPvB: Not applicable. **3** Composition/information on ingredients

• Chemical characterisation: Mixtures

• **Description:** Mixture of substances listed below with nonhazardous additions.

· Dangerous compone	ents:	
	Triethylene Glycol Dimethacrylate	>2.5- <i>≤</i> 10%
EINECS: 203-652-6	♦ Skin Sens. 1, H317	
	Diurethane Dimethacrylate	≤ 5%
EINECS: 276-957-5	♦ Skin Sens. 1, H317	
CAS: 162881-26-7	Organophosphine Oxide	<i>≤</i> 2.5%
ELINCS: 423-340-5	🚸 Skin Sens. 1, H317; Aquatic Chronic 4, H413	
. Additional informat	ion. For the wording of the listed hazard physics refer to section 16	

Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

· Description of first aid measures

• General information:

Immediately remove any clothing soiled by the product.

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

• After inhalation:

This product is a thick paste, therefore inhalation is extremely unlikely.

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. • After skin contact:

If skin irritation continues, consult a doctor.

Immediately wash with water and soap and rinse thoroughly.

- After eye contact: Rinse opened eye for several minutes under running water.
- After swallowing: If swallowed in large quantities seek medical attention.
- Information for doctor:
- Most important symptoms and effects, both acute and delayed No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

(Contd. on page 3)

Printing date 05.06.2019

Revision: 09.04.2019

Trade name: OpalTM BandTM Cement - Catalyst

(Contd. of page 2)

5 Firefighting measures

- · Extinguishing media
- Suitable extinguishing agents: Use fire extinguishing methods suitable to surrounding conditions.
- · Special hazards arising from the substance or mixture No further relevant information available.

• Advice for firefighters:

• Protective equipment:

Wear fully protective suit. Mouth respiratory protective device.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Not required.
- Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:
- Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to item 13.

Ensure adequate ventilation.

• **Reference to other sections** See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and storage

· Handling:

- *Precautions for safe handling:* Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.
- · Information about fire and explosion protection: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- · Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Protect from exposure to the light. See product labelling. Keep container tightly sealed.
- · Specific end use(s) Professional Orthodontic Cement

8 Exposure controls/personal protection

• Additional information about design of technical facilities: No further data; see item 7.

- · Control parameters
- · Ingredients with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists valid during the making were used as basis.

(Contd. on page 4)

GB2

Printing date 05.06.2019

Revision: 09.04.2019

Trade name: OpalTM BandTM Cement - Catalyst

(Contd. of page 3)

- · Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures: Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work.
- Respiratory protection:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation · Material of gloves

The selection of suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact breakthrough time has to be found out by the manufacturer of the protective gloves and has to be observed.

- *Eye protection:* Goggles recommended during refilling
- · **Body protection:** Protective work clothing

9 Physical and chemical properties · Information on basic physical and chemical properties **General Information** · Appearance: Form: Paste Colour: Yellow · Odour: Acrvlic • Odour threshold: Not determined. · pH-value: Not applicable (non-aqueous) • Change in condition *Melting point/freezing point:* Undetermined. Initial boiling point and boiling range: Undetermined. · Flash point: Not applicable. · Flammability (solid, gas): Not applicable. Not determined. • Decomposition temperature: Product is not selfigniting. · Auto-ignition temperature: • Explosive properties: Product does not present an explosion hazard. **Explosion limits:** Not determined. Lower: (Contd. on page 5) GB2

Safety data sheet according to 1907/2006/EC, Article 31

Printing date 05.06.2019

Revision: 09.04.2019

Trade name: OpalTM BandTM Cement - Catalyst

	(Contd. of page
Upper:	Not determined.
· Vapour pressure:	Not determined.
Density:	Not determined.
Relative density	Not determined.
Vapour density	Not determined.
Evaporation rate	Not determined.
· Solubility in / Miscibility with	
water:	Not miscible or difficult to mix.
Partition coefficient: n-octanol/water:	Not determined.
· Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
VOC (EC)	0.00 %
• Other information	No further relevant information available.

10 Stability and reactivity

· Reactivity Polymerization occurs when exposed to visible light, ultraviolet light or extreme heat.

- · Chemical stability
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: Visible light, ultraviolet light, and extreme heat
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: Carbon dioxide

11 Toxicological information

· Information on toxicological effects

· Acute toxicity

Harmful if inhaled. · LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Inhalative LC50/4 h = 5.35 mg/l (rat)

Oral	LD50	>5,000 mg/kg (rat)	
	LC50 Fish	16.4 mg/l (Fish) (Toxicity to fish)	
Dermal	LD50	>2,000 mg/kg (mouse)	
72869-86	-4 Diurethan	e Dimethacrylate	
Oral	LD50	>5,000 mg/kg (rat)	
162881-2	6-7 Organop	hosphine Oxide	
Oral	LD50	>2,000 mg/kg (rat)	
	LC50 Fish	>0.09 mg/l (Fish) (Toxicity to fish)	
Dermal	LD50	>2,000 mg/kg (rat)	

Printing date 05.06.2019

Revision: 09.04.2019

Trade name: OpalTM BandTM Cement - Catalyst

(Contd. of page 5)

· Primary irritant effect:

• Skin corrosion/irritation Based on available data, the classification criteria are not met.

 \cdot Serious eye damage/irritation Based on available data, the classification criteria are not met.

· Respiratory or skin sensitisation

May cause an allergic skin reaction.

· CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

- Germ cell mutagenicity Based on available data, the classification criteria are not met.
- Carcinogenicity Based on available data, the classification criteria are not met.
- *Reproductive toxicity Based on available data, the classification criteria are not met.*
- STOT-single exposure Based on available data, the classification criteria are not met.
- STOT-repeated exposure Based on available data, the classification criteria are not met.

• Aspiration hazard Based on available data, the classification criteria are not met.

Aquatic toxicity:					
109-16-0 Triethylene Glycol Dimethacrylate					
Biodegradability	28 days (Aerobic) (Biodegradability testing)				
Aqua toxicity	32 mg/l (daphnia) (No Observed Effect Concentration)				
EC50	>100 mg/l (Algae) (Toxicity to algae)				
72869-86-4 Diurethane Dimetha	crylate				
Biodegradability	28 days (Aerobic) (Biodegradability testing)				
EC50	>0.6 mg/l (Algae) (Toxicity to algae)				
	>1.2 mg/l (daphnia) (Toxicity to aquatic invertebrates)				
162881-26-7 Organophosphine O	Dxide				
EC50 (static)	>1.175 mg/kg (daphnia) (Toxicity to aquatic invertebrates)				
Aqua toxicity	≥0.008 mg/l (daphnia) (Daphnia Magna Reproduction Test)				
Toxicity to Aquatic Plants (static)	>0.26 mg/l (Plant) (Toxicity to algae)				
Behaviour in environmental syste Bioaccumulative potential No fur Mobility in soil No further relevan Additional ecological information General notes: Water hazard class 1 (German Re	ther relevant information available. nt information available.				

• Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

• *Recommendation* Do not allow product to reach sewage system.

(Contd. on page 7)

GB2 -

Printing date 05.06.2019

Revision: 09.04.2019

(Contd. of page 6)

Trade name: OpalTM BandTM Cement - Catalyst

· Uncleaned packaging:

• Recommendation: Disposal must be made according to official regulations.

UN-Number ADR, ADN, IMDG, IATA	not regulated	
UN proper shipping name ADR, ADN, IMDG, IATA	not regulated	
Transport hazard class(es)		
ADR, ADN, IMDG, IATA Class	not regulated	
Packing group ADR, IMDG, IATA	not regulated	
Environmental hazards:	Not applicable.	
Special precautions for user Stowage Category	Not applicable. E	
Transport in bulk according to Annex II and the IBC Code	I of Marpol Not applicable.	
UN "Model Regulation":	not regulated	

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture

• REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· Chemical safety assessment:

Device is biocompatible when used as directed by dental professionals per ISO 10993-1

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

• **Relevant phrases** H317 May cause an allergic skin reaction. H413 May cause long lasting harmful effects to aquatic life.

· Department issuing SDS: Regulatory Affairs

· Contact: Customer Service

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

- ELINCS: European List of Notified Chemical Substances
- CAS: Chemical Abstracts Service (division of the American Chemical Society)
- *VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent*

(Contd. on page 8)

Printing date 05.06.2019

Revision: 09.04.2019

Trade name: OpalTM BandTM Cement - Catalyst

(Contd. of page 7)

GB2

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Acute Tox. 4: Acute toxicity – Category 4 Skin Sens. 1: Skin sensitisation – Category 1 Aquatic Chronic 4: Hazardous to the aquatic environment - long-term aquatic hazard – Category 4